

Phone : 22545400/5433/5434

NATIONAL INSTITUTE OF TECHNICAL TEACHERS' TRAINING AND RESEARCH
Taramani P.O., Chennai 600 113
[Government of India, Ministry of Human Resource Development (Dept. of Education)]

No. NITTTR/CEMT/RE/2017-18/Tripod

Date: 07.03.2018

To

Delivery required by :

**Centre for Educational Media & Technology,
NITTTR, Chennai - 600 113**

QUOTATION DUE DATE

a. Please send your quotation within the due date on sealed envelope on or before:

Date: 16.03.2018

b. Delivery required at NITTTR, Chennai : **immediately**

Sl. No.	Description of Items	Material Code	Approximate Quantity Required
1	509HD, 545 GBK - PRO GROUND-TWIN KIT 100 -Tripod for Digital HD Video Camera as per the technical specifications enclosed.		1 No.
2	VCT-14 Quick-Release Tripod Adapter		2 Nos.

Note: As per Ministry of Finance, Govt. of India Notification no.45/2017 – Central Tax (Rate) dated 14.11.2017, Our Institute is eligible for GST @5%. Mention TIN No. of your company. The Warranty, validity and Make of the quoted item should be mentioned clearly.

Cover should be addressed: (Ref. No. should be written on the sealed cover)

Name : **Professor & Head i/c, Centre for Educational Media & Technology,**
National Institute of Technical Teachers' Training and Research
Taramani P.O., Chennai 600 113

(For terms and conditions please see overleaf)

f. yadav
DIRECTOR

7/3/18

TERMS & CONDITIONS

- 1 The quotation must specify the period within which the supply could be effected from the date of receipt of firm orders.
- 2 Quotation received after the due date mentioned on the reverse will not be considered.
- 3 Your quotations should be for materials strictly in accordance with the specifications shown. In case you are offering substitutes state clearly the exact specification etc. of the materials offered. Drawing sketches or any other technical data should be submitted separately.
- 4 The prices quoted should clearly specify charges for delivery of the goods to destination indicated overleaf.
- 5 The prices quoted should include all packing costs and it will be assumed that packing materials (cases etc.,) are non-returnable unless otherwise stated.
- 6 Sales tax or any other taxes if applicable should be shown separately giving the full rate of taxes for each items giving ex-incidence of such levies.
- 7 The Director reserves the right to accept the whole or part of any quotation without assigning any reason and the lowest or any quotation, will not necessarily be accepted, and the Director's decision shall be the final.
- 8 Samples must accompany the quotation when so specified or within two days when asked for later.
- 9 If it is discovered that the materials supplied are not exactly according to the specification, the entire stock will be rejected.
- 10 We reserve the right to inspect the goods offered at any stage of manufacture / supply at your premises.
- 11 Any dispute arising out of or relating to this Enquiry shall be deemed to have arisen in Madras and is subject to adjudication of the Madras Courts.
- 12 Rates quoted once will remain firm for that particular dealing.
- 13 The quotation should be kept valid for a period of 60 days from the date of opening for acceptance.
- 14 Payment will be made after confirmation on receipt of the materials in good condition at this institute (normally within 30 days). Advance payment will not be entertained at any circumstances.
- 15 Printed conditions of the firm sent along with quotation form if any, shall not be binding on us.
- 16 In case of Printing the Proof should be got approved before final strike.
- 17 Materials should be supplied at this institute in good condition.
- 18 Price quoted by the suppliers accepted by the Director is final, and no deviation therefore will be accepted without the Director's agreement in writing.
- 19 If the rates are under D.G.S. & D. Please specify the same clearly enclosing necessary documents.

Enclosure -1

Technical Specifications

509HD, 545 GBK - PRO GROUND-TWIN KIT 100

Material	Aluminium
Safety Payload Weight	13.5 kg
Min Height	48 cm
Maximum Height	172 cm
Head Type	Video/Fluid Head
Leg Sections	3
Legs Tube Diameter	16, 25 mm
Quick Release	Yes
Counterbalanced Weight	8.5 kg
Center of gravity	125 mm
Spreader	low level - variable arm length
Closed Length	84 cm
Ball Flat	100 Ball
Top Attachment	1/4" screw, 3/8" screw
Powered by (batteries)	Lithium
Bubble Spirit Level (No.)	1
Carrying Bag Included	MB MBAG100PNHD
Center Column	no centre column
Certifications	WEEE; RoHS
Color	Black
Easy Link	Yes
Front Tilt	-60° / +90°
Leg Type	Twin
Leg Angles	from 29° to 63°
Leg Lock Type	Flip Lock
Maximum Working Temperature	60 C
Minimum Working Temperature	-20 C
Pan Bar Included	Include pan bar
Pan Drag	continuously adjustable from 0 to max level
Panoramic Rotation	360
Plate Type	509PLONG
Tilt Drag	continuously adjustable from 0 to max level

